

eXpertServer 232-S-2U (NVMe)

11.930,12 USD



Pretul nu contine TVA si taxa
de timbru verde

Server 2U rackmountable, dual-socket cu procesoare Xeon de ultima generatie. Proiectat pentru baze de date, HPC. Suport NVMe, optane si configurabilitate RAID enterprise direct atasata la procesoare Xeon Scalable. Optional omnipath/ infiniband 100Gbps.

Promotie



Pret Promo!

Tip

Format	2U
Numar socluri procesor	2

Procesor

Model	2 x Intel Xeon Silver 4309Y 8-core 2.8GHz, 12MB Cache
-------	---

Chipset

Model	Intel® Series
Procesoare suportate	Intel Xeon Scalable 3rd series
Arhitectura memorie	8-channel per CPU; maxim 6TB RAM per CPU, 32 slot-uri

Memorie

Cantitate livrata	128 GB DDR4-3200 REG ECC 8-channel
-------------------	------------------------------------

Expansiune

Bay-uri HDD hot-swap	2x M.2 onboard + 8 x 2.5" (optional 24x 2.5" cu module de extensie)
PCI Express	3 x PCIe 4.0 x8 (optional PCIe 4.0 x16)
Observatii	HDD bay 1,2 sunt fixe, restul sunt hot-swap

Storage

Interfata	Intel VROC RAID 0,1,10,5 pentru SSD NVMe
-----------	--

HDD bay 1

Capacitate	SSD NVMe 1.0TB M.2 1DWPD
------------	--------------------------

HDD bay 2

Capacitate	SSD NVMe 1.0TB M.2 1DWPD
------------	--------------------------

HDD bay 3

Capacitate	SSD NVMe 6.4TB 2.5" 3DWPD
------------	---------------------------

HDD bay 4

Capacitate	SSD NVMe 6.4TB 2.5" 3DWPD
------------	---------------------------

HDD bay 5

Capacitate	fara
------------	------

HDD bay 6

Capacitate	fara
------------	------

Retea

Ethernet	Intel Dual 10GbE RJ45
----------	-----------------------

Grafica

Tip	Integrata
Memorie	64MB DDR4

Racire

Tip	ventilatoare redundante si hot-swap
-----	-------------------------------------

Alimentare

Putere	1300W 1+1 redundant 80Plus Platinum high efficiency PSU
--------	---

Porturi

USB	4 x USB 3.0 (din care 1 x USB 3.0 este dispus frontal)
Alte tipuri	1 x serial, 1 x VGA

Control

Tip	Standard
Pozitionare panou	Front
Butoane	Power, Reset, altele
Altele	indicatoare cu LED-uri

Management

Remote Management Module	Da, inclus cu functionalitate KVM-over-IP si port management dedicat
Tip management	IPMI 2.0, Intel Advanced System Management

Sistem de operare

SO	-
Observatii	Pentru alte optiuni sistem de operare contactati departamentul vanzari

Altele

Dimensiuni	712 x 439 x 89 mm
Sisteme de operare suportate	Windows Server, Red Hat Enterprise Linux, SuSE Linux Enterprise Server
Certificari	Erp LOT6, CE
Garantie	36 luni (optional 60 luni)

Pagina produsului:

<http://www.maguay.ro./produse/serve-re-maguay/serve-re-dual-procesor-rack-2u/expertserver-232-s-2u-nvme-l787>

Document creat la data de:

30 Aprilie 2024 la ora 07:13