



Maguay eXpertServer 211-E5

2.937,00 USD

Pretul nu contine TVA si taxa de timbru verde

Solutie de ultima generatie tip dual procesor cu pana la 24 nuclee de procesare. Destinat companiilor de tip small/ medium business. Certificat pentru virtualizare Vmware ESX/ Microsoft HyperV.

Tip

Format	Pedestal 4U
Numar de socluri procesor	2

Procesor

Model	Intel Xeon E5-2609v3 Six Core
Proces de fabricare	22 nm
Frecventa	1.9 GHz
Smart Cache	15 MB Smart Cache
Consum energie	80 W
Canale Quick Path Interconnect	2
Viteza QPI	6.4 GT/s
Tehnologii	Intel® vPro Technology, Intel® Virtualization Technology (VT-x), Intel® Virtualization Technology for Directed I/O (VT-d), Intel® Trusted Execution Technology, AES New Instructions, Intel® 64, Idle States, Enhanced Intel SpeedStep® Technology, Intel® Demand Based Switching, Thermal

Chipset

Model	Intel C612
Procesoare suportate	Intel Xeon E5-2600 v3 series
FSB-uri / Viteze QPI suportate	6.4 GT/s, 7.2 GT/s, 8 GT/s
Arhitectura memorie	Quad-channel

Memorie

Cantitate livrata	8 GB
Frecventa	2133 MHz
Tip	Registered DDR4
Mod de lucru	Dual Channel (echipat cu 1 CPU)
Observatie	Modul efectiv de lucru (quad sau eight) depinde de numarul de procesoare
Cantitate suportata	512 GB
Numar de sloturi	16

Expansiune

Bay-uri HDD hot-swap	8 x 2.5 inch hot-plug
PCI Express	1 x PCIe x8 (3.0) + 4 x PCIe x16 (3.0) + 1 x PCIe x4 (2.0)
PCI	.
Observatii	.

Storage

Interfata	SATA 2.0
Numar porturi	8 x SATA 2.0
RAID	Software 0, 1, 10
Baterie backup	N/A
Observatii	In aceasta configuratie sunt admise numai discuri cu interfata SATA 2.0. Discurile cu interfata SAS pot fi instalate numai in prezenta porturilor HDD hot-swap cu interfata SAS

HDD bay 1

Capacitate	fara
Interfata	N/A
Viteza	N/A
Hot-swap	Da

HDD bay 2

Capacitate	fara
Interfata	N/A
Viteza	N/A
Hot-swap	Da

HDD bay 3

Capacitate	fara
Interfata	N/A
Viteza	N/A
Hot-swap	Da

HDD bay 4

Capacitate	fara
Interfata	N/A
Viteza	N/A
Hot-swap	Da

HDD bay 5

Capacitate	fara
Interfata	N/A
Viteza	N/A
Hot-swap	Da

HDD bay 6

Capacitate	fara
Interfata	N/A

Viteza	N/A
Hot-swap	Da

HDD bay 7

Capacitate	fara
Interfata	N/A
Viteza	N/A
Hot-swap	Da

HDD bay 8

Capacitate	fara
Interfata	N/A
Viteza	N/A
Hot-swap	Da
Observatii	Acest bay poate fi ocupat numai daca ati selectat configuratia cu 10 bay-uri pentru acest server.

Retea

Ethernet	Dual port Intel 10/100/1000 Gigabit Ethernet
----------	--

Unitate optica

Tip	fara
-----	------

Grafica

Tip	Integrated 2D Hardware Graphics Acceleration
Memorie	16 MB DDR3

Racire

Tip	Activa & pasiva cu redundanta
-----	-------------------------------

Alimentare

Putere	750W 80+ eficienta Platinum, redundanta
Redundanta	1+1
Numar maxim posibil de surse	2

Porturi

USB	4 x USB 2.0
Alte tipuri	1 x serial, 1 x VGA

Control

Tip	Standard Control Panel
Pozitionare panou	Front, bay 5.25 inchi
Butoane	Power, Reset, altele
Altele	indicatoare cu LED-uri

Management

Remote Management Module	-
Facilitati RMM 3	N/A, optional prin adaugarea modulului de remote management
Tip management Controller	Hardware (independent de sistemul de operare) prin IPMI 2.0, Baseboard Management Controller .

Sistem de operare

SO	-
----	---

Altele

Dimensiuni	173 x 437 x 632 mm
Sisteme de operare suportate	Windows Server, Red Hat Enterprise Linux, SuSE Linux Enterprise
Certificari	Windows Server, Vmware, RoHS, CE
Garantie	36 luni

Pagina produsului:

<http://www.maguay.ro/produse/servele-maguay/server-dual-procesor-pedestal/maguay-expertserver-211-e5-l573>

Document creat la data de:

28 Iulie 2017 la ora 17:59